

Material/Process
GLASS/WINDOW CLEANER SPRAY



MEDIUM HAZARD

LIQUID

Supplier VOW EUROPE
Keyword Cleaner

Contents
 2-butoxyethanol: 5 - 10%, Ethanol: 3 - 5%, Propan-2-ol: 1 - 3%, Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one: < 0.0015%

Signal Word Warning
Exp Limit 2-butoxyethanol 123mg/m3 8hTWA 246mg/m3 15mSTEL WEL, Ethanol 1920mg/m3 8hTWA WEL, Propan-2-ol 999mg/m3 8hTWA 400ppm 8hTWA 1250mg/m3 15mSTEL

Health Hazards
 Causes serious eye irritation
 Causes skin irritation
 May cause ill health if ingested in quantity
 May cause allergic reaction in susceptible individuals in contact with skin

Considerations



Method	Spraying (Trigger Bottle)	Area	Inside Well Ventilated	Exposure	Up to 1/2 hour per shift
	MEDIUM ACUTE RISK - FULL EXPOSURE		MEDIUM CHRONIC RISK - FULL EXPOSURE		

Control Measures

MEDIUM ACUTE RISK - INDIVIDUAL ACTIVITY	MEDIUM CHRONIC RISK
 KEEP SKIN COVERED POLYTHENE OR NITRILE BS EN166 ACUTE HAZARD WASH AFTER USE IF SOILED	

Spillage
 Ventilate area
 Wear polythene or nitrile gloves
 Suitable eye protection must be worn
 Wear respiratory protection for large spills in poorly ventilated areas
 Wear protective overalls & chemical proof footwear
 Absorb in sand or inert absorbent material
 Small spills - wipe up with cloth
 Collect into a container, close lid
 Dispose or recycle of spillages in a controlled manner - Refer to Hazardous Waste Regulations if appropriate

First Aid
 Inhalation - remove to fresh air; get immediate medical attention after significant exposure or if feeling ill
 Ingestion - do not induce vomiting, wash out mouth with water
 If feeling unwell consult your doctor immediately
 Eye - rinse thoroughly with water for 20 minutes - take care not to affect uncontaminated eye. If irritation persists then consult a doctor
 Skin - wash with soap/cleanser and rinse with water; if irritation persists then consult a doctor

Fire
 Isolated small scale fire:
 Water fog - carbon dioxide - powder - inert material
 Do not use water jet
 Large fire: evacuate area, call fire brigade or follow site procedure
 Wear self-contained breathing apparatus and protective clothing

Activity Comments
 Intermittent use of low pressure trigger spray bottle.

Date Printed 18/01/2024



Material/Process
GLASS/WINDOW CLEANER SPRAY



MEDIUM HAZARD

LIQUID

Supplier VOW EUROPE
Keyword Cleaner

Contents
 2-butoxyethanol: 5 - 10%, Ethanol: 3 - 5%, Propan-2-ol: 1 - 3%, Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one: < 0.0015%

Signal Word Warning
Exp Limit 2-butoxyethanol 123mg/m3 8hTWA 246mg/m3 15mSTEL WEL, Ethanol 1920mg/m3 8hTWA WEL, Propan-2-ol 999mg/m3 8hTWA 400ppm 8hTWA 1250mg/m3 15mSTEL

Health Hazards
 Causes serious eye irritation
 Causes skin irritation
 May cause ill health if ingested in quantity
 May cause allergic reaction in susceptible individuals in contact with skin

Considerations



Method Spraying (Trigger Bottle)	Area Outside	Exposure Up to 1/2 hour per shift
MEDIUM ACUTE RISK - FULL EXPOSURE		MEDIUM CHRONIC RISK - FULL EXPOSURE

Spillage
 Ventilate area
 Wear polythene or nitrile gloves
 Suitable eye protection must be worn
 Wear respiratory protection for large spills in poorly ventilated areas
 Wear protective overalls & chemical proof footwear
 Absorb in sand or inert absorbent material
 Small spills - wipe up with cloth
 Collect into a container, close lid
 Dispose or recycle of spillages in a controlled manner - Refer to Hazardous Waste Regulations if appropriate

Control Measures

MEDIUM ACUTE RISK - INDIVIDUAL ACTIVITY **MEDIUM CHRONIC RISK**



KEEP SKIN COVERED POLYTHENE OR NITRILE BS EN166 WASH AFTER USE IF SOILED



CLOSE ALL CONTAINERS ACUTE HAZARD

First Aid
 Inhalation - remove to fresh air; get immediate medical attention after significant exposure or if feeling ill
 Ingestion - do not induce vomiting, wash out mouth with water
 If feeling unwell consult your doctor immediately
 Eye - rinse thoroughly with water for 20 minutes - take care not to affect uncontaminated eye. If irritation persists then consult a doctor
 Skin - wash with soap/cleanser and rinse with water; if irritation persists then consult a doctor

Fire
 Isolated small scale fire:
 Water fog - carbon dioxide - powder - inert material
 Do not use water jet
 Large fire: evacuate area, call fire brigade or follow site procedure
 Wear self-contained breathing apparatus and protective clothing

Activity Comments
 Intermittent use of low pressure trigger spray bottle.

Date Printed 18/01/2024

