

## Material/Process

## 2WORK WASHROOM CLEANER



HIGH HAZARD

LIQUID

Supplier EVO BUSINESS SUPPLIES LIMITED

Keyword Cleaner

## Contents

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides: 2.4%, Isotridecanol, ethoxylated (<2.5 moles EO): 1 - 3%, Alcohols,-C13-15,-branched-and-linear,-ethoxylated:- 0 - 1%

Signal Word Danger

Exp Limit Limonene 150mg/m<sup>3</sup> 8hTWA

## Health Hazards

Causes serious eye damage  
Causes skin irritation  
Harmful to aquatic life with long lasting effects  
May cause ill health if ingested in quantity  
May cause allergic reaction in susceptible individuals in contact with skin

## Considerations



Method	Diluting	Area	Inside Well Ventilated	Exposure	2 to 4 hours per shift
MEDIUM ACUTE RISK - FULL EXPOSURE			MEDIUM CHRONIC RISK - FULL EXPOSURE		
MEDIUM ACUTE RISK - INDIVIDUAL ACTIVITY			MEDIUM CHRONIC RISK		

## Spillage

Ventilate area  
Wear polythene or nitrile gloves  
Suitable eye protection must be worn  
Wear respiratory protection for large spills in poorly ventilated areas  
Wear protective overalls & chemical proof footwear  
Absorb in sand or inert absorbent material  
Small spills - wipe up with cloth  
Collect into a container, close lid  
Dispose or recycle of spillages in a controlled manner - Refer to Hazardous Waste Regulations if appropriate

## Control Measures

MEDIUM ACUTE RISK - INDIVIDUAL ACTIVITY

MEDIUM CHRONIC RISK



KEEP SKIN COVERED



POLYTHENE OR NITRILE



BS EN166



WASH AFTER USE



IF SOILED



CLOSE ALL CONTAINERS



ACUTE HAZARD / ECOTOXIC

## First Aid

Ensure access to eyewash station for emergency use  
Inhalation - remove to fresh air; get immediate medical attention after significant exposure or if feeling ill  
Ingestion - do not induce vomiting, wash out mouth with water  
If feeling unwell consult your doctor immediately  
Eye contact - irrigate using eyewash & get immediate medical attention  
Skin - wash with soap/cleanser and rinse with water; if irritation persists then consult a doctor

## Fire


Isolated small scale fire:  
Water fog - carbon dioxide - powder - foam  
Do not use water jet  
Large fire: evacuate area, call fire brigade or follow site procedure  
Wear self-contained breathing apparatus and protective clothing

## Activity Comments

**Material/Process**  
**2WORK WASHROOM CLEANER 5%**



**Health Hazards**  
 May cause ill health if ingested in quantity  
 Skin - irritation and dermatitis may result from prolonged contact  
 May cause eye irritation  
 May cause allergic reaction in susceptible individuals in contact with skin



**MEDIUM HAZARD**  
 LIQUID

**Supplier** IN HOUSE PREPARATION  
**Keyword** Cleaner






**Contents**  
 Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides: <= 0.12%, Isotridecanol, ethoxylated (<2.5 moles EO): <= 0.15%, Alcohols,-C13-15,-branched-and-linear,-ethoxylated-: <= 0.05%

**Signal Word**  
**Exp Limit** Limonene 150mg/m3 8hTWA

Method	Area	Exposure
Spraying (Trigger Bottle)	Inside Well Ventilated	1/2 to 2 hours per shift
LOW ACUTE RISK - FULL EXPOSURE		LOW CHRONIC RISK - FULL EXPOSURE

**Spillage**  
 Ventilate area  
 Wear polythene or nitrile gloves  
 Wear eye protection if contact likely  
 Wear respiratory protection for large spills in poorly ventilated areas  
 Wear protective overalls and footwear for large spillages  
 Absorb in sand or inert absorbent material  
 Small spills - wipe up with cloth  
 Collect into a container, close lid  
 Dispose or recycle of spillages in a controlled manner - Refer to Hazardous Waste Regulations if appropriate

**Control Measures**  
 LOW ACUTE RISK - INDIVIDUAL ACTIVITY      LOW CHRONIC RISK

 KEEP SKIN COVERED	 POLYTHENE OR NITRILE	 IF CONTACT LIKELY		 WASH AFTER USE	 IF SOILED
 CLOSE ALL CONTAINERS	 CONTROLLED STORE /WASTE				

**First Aid**  
 Inhalation - remove to fresh air; get immediate medical attention after significant exposure or if feeling ill  
 Ingestion - do not induce vomiting, wash out mouth with water  
 If feeling unwell consult your doctor immediately  
 Eye - irrigate with water until irritation subsides; if irritation persists then consult a doctor  
 Skin - wash with soap/cleanser and rinse with water; if irritation persists then consult a doctor

**Fire**  
 Isolated small scale fire:  
 Water fog - carbon dioxide - powder - foam  
 Do not use water jet  
 Large fire: evacuate area, call fire brigade or follow site procedure  
 Wear self-contained breathing apparatus and protective clothing




**Activity Comments**  
 Intermittent use of low pressure trigger spray bottle.

This assessment was compiled by EcoOnline Sypol Limited from supplier's safety data sheets where appropriate. Safety in the use of assessments is the responsibility of the subscriber. For advice call the helpdesk on 01296 678464  
 Date Printed 29/12/2025

**Material/Process**  
**2WORK WASHROOM CLEANER 5%**



**Health Hazards**  
 May cause ill health if ingested in quantity  
 Skin - irritation and dermatitis may result from prolonged contact  
 May cause eye irritation  
 May cause allergic reaction in susceptible individuals in contact with skin



**MEDIUM HAZARD**  
 LIQUID

**Supplier** IN HOUSE PREPARATION  
**Keyword** Cleaner

**Contents**  
 Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides: <= 0.12%, Isotridecanol, ethoxylated (<2.5 moles EO): <= 0.15%, Alcohols,-C13-15,-branched-and-linear,-ethoxylated-: <= 0.05%

**Signal Word**  
**Exp Limit** Limonene 150mg/m3 8hTWA

Method	Hand applying	Area	Inside Well Ventilated	Exposure	1/2 to 2 hours per shift
LOW ACUTE RISK - FULL EXPOSURE			LOW CHRONIC RISK - FULL EXPOSURE		

**Control Measures**

LOW ACUTE RISK - INDIVIDUAL ACTIVITY			LOW CHRONIC RISK		
KEEP SKIN COVERED	POLYTHENE OR NITRILE	IF CONTACT LIKELY		WASH AFTER USE	IF SOILED

KEEP SKIN COVERED	POLYTHENE OR NITRILE	IF CONTACT LIKELY		WASH AFTER USE	IF SOILED
CLOSE ALL CONTAINERS	CONTROLLED STORE /WASTE				

**Spillage**  
 Ventilate area  
 Wear polythene or nitrile gloves  
 Wear eye protection if contact likely  
 Wear respiratory protection for large spills in poorly ventilated areas  
 Wear protective overalls and footwear for large spillages  
 Absorb in sand or inert absorbent material  
 Small spills - wipe up with cloth  
 Collect into a container, close lid  
 Dispose or recycle of spillages in a controlled manner - Refer to Hazardous Waste Regulations if appropriate

**First Aid**  
 Inhalation - remove to fresh air; get immediate medical attention after significant exposure or if feeling ill  
 Ingestion - do not induce vomiting, wash out mouth with water  
 If feeling unwell consult your doctor immediately  
 Eye - irrigate with water until irritation subsides; if irritation persists then consult a doctor  
 Skin - wash with soap/cleanser and rinse with water; if irritation persists then consult a doctor

**Fire**  
 Isolated small scale fire:  
 Water fog - carbon dioxide - powder - foam  
 Do not use water jet  
 Large fire: evacuate area, call fire brigade or follow site procedure  
 Wear self-contained breathing apparatus and protective clothing



**Activity Comments**


This assessment was compiled by EcoOnline Sypol Limited from supplier's safety data sheets where appropriate. Safety in the use of assessments is the responsibility of the subscriber. For advice call the helpdesk on 01296 678464

Date Printed 29/12/2025

**Material/Process**  
**2WORK WASHROOM CLEANER 5%**



**Health Hazards**  
 May cause ill health if ingested in quantity  
 Skin - irritation and dermatitis may result from prolonged contact  
 May cause eye irritation  
 May cause allergic reaction in susceptible individuals in contact with skin



**MEDIUM HAZARD**  
 LIQUID

**Supplier** IN HOUSE PREPARATION  
**Keyword** Cleaner

**Contents**  
 Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides: <= 0.12%, Isotridecanol, ethoxylated (<2.5 moles EO): <= 0.15%, Alcohols,-C13-15,-branched-and-linear,-ethoxylated-: <= 0.05%

**Signal Word**  
**Exp Limit** Limonene 150mg/m3 8hTWA

Method	Decanting	Area	Inside Well Ventilated	Exposure	2 to 4 hours per shift
LOW ACUTE RISK - FULL EXPOSURE			LOW CHRONIC RISK - FULL EXPOSURE		

Control Measures	LOW ACUTE RISK - INDIVIDUAL ACTIVITY	LOW CHRONIC RISK
------------------	--------------------------------------	------------------

KEEP SKIN COVERED	POLYTHENE OR NITRILE	IF CONTACT LIKELY		WASH AFTER USE	IF SOILED
CLOSE ALL CONTAINERS	CONTROLLED STORE /WASTE				

**Spillage**  
 Ventilate area  
 Wear polythene or nitrile gloves  
 Wear eye protection if contact likely  
 Wear respiratory protection for large spills in poorly ventilated areas  
 Wear protective overalls and footwear for large spillages  
 Absorb in sand or inert absorbent material  
 Small spills - wipe up with cloth  
 Collect into a container, close lid  
 Dispose or recycle of spillages in a controlled manner - Refer to Hazardous Waste Regulations if appropriate

**First Aid**  
 Inhalation - remove to fresh air; get immediate medical attention after significant exposure or if feeling ill  
 Ingestion - do not induce vomiting, wash out mouth with water  
 If feeling unwell consult your doctor immediately  
 Eye - irrigate with water until irritation subsides; if irritation persists then consult a doctor  
 Skin - wash with soap/cleanser and rinse with water; if irritation persists then consult a doctor

**Fire**  
 Isolated small scale fire:  
 Water fog - carbon dioxide - powder - foam  
 Do not use water jet  
 Large fire: evacuate area, call fire brigade or follow site procedure  
 Wear self-contained breathing apparatus and protective clothing



**Activity Comments**

This assessment was compiled by EcoOnline Sypol Limited from supplier's safety data sheets where appropriate. Safety in the use of assessments is the responsibility of the subscriber. For advice call the helpdesk on 01296 678464

Date Printed 29/12/2025