

Material/Process **2WORK LEMON FLOOR GEL**

MEDIUM HAZARD

LIQUID

Supplier Vow Europe LTD
Keyword Floor Cleaner

Contents
 Fatty acids, castor-oil, potassium salts: 1 - 3%, Sodium dodecylbenzenesulfonate: 1 - < 3%, Oil of turpentine: 0.1 - 1%, 1,2-benzisothiazol-3(2H)-one: < 0.1%, Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one: < 0.1%

Signal Word Warning
Exp Limit



Health Hazards
 Causes serious eye irritation
 Causes skin irritation
 May cause an allergic skin reaction
 Toxic to aquatic life with long lasting effects
 May cause ill health if ingested in quantity



| Method | Diluting | Area | Inside Well Ventilated | Exposure | 1/2 to 2 hours per shift |
|-----------------------------------|----------|------|-----------------------------------|----------|--------------------------|
| MEDIUM ACUTE RISK - FULL EXPOSURE | | | HIGH CHRONIC RISK - FULL EXPOSURE | | |

Control Measures

MEDIUM ACUTE RISK - INDIVIDUAL ACTIVITY MEDIUM CHRONIC RISK

| | | | | | |
|----------------------|-------------------------|----------|--|----------------|-----------|
| | | | | | |
| IMPERVIOUS OVERALLS | POLYTHENE OR NITRILE | BS EN166 | | WASH AFTER USE | IF SOILED |
| | | | | | |
| CLOSE ALL CONTAINERS | SENSITISER/ACUTE HAZARD | | | | |

Spillage
 Ventilate area
 Wear polythene or nitrile gloves
 Suitable eye protection must be worn
 Wear respiratory protection for large spills in poorly ventilated areas
 Wear protective overalls & chemical proof footwear
 Absorb in sand or inert absorbent material
 Small spills - wipe up with cloth
 Collect into a container, close lid
 Dispose or recycle of spillages in a controlled manner - Refer to Hazardous Waste Regulations if appropriate

First Aid
 In case of allergic reaction/anaphylactic shock call for immediate assistance from trained first aiders
 Inhalation - remove to fresh air; get immediate medical attention after significant exposure or if feeling ill
 Ingestion - do not induce vomiting, wash out mouth with water
 If feeling unwell consult your doctor immediately
 Eye - rinse thoroughly with water - take care not to affect uncontaminated eye. If irritation persists then consult a doctor
 Skin - wash with soap/cleanser and rinse with water; if irritation persists then consult a doctor

Fire
 Isolated small scale fire:
 Powder - foam - water fog
 Do not use water jet
 Large fire: evacuate area, call fire brigade or follow site procedure
 Wear self-contained breathing apparatus and protective clothing



Activity Comments

This assessment was compiled by EcoOnline Sypol Limited from supplier's safety data sheets where appropriate. Safety in the use of assessments is the responsibility of the subscriber. For advice call the helpdesk on 01296 678464

Date Printed 23/01/2025

Material/Process 2WORK LEMON FLOOR GEL



Health Hazards
 Causes serious eye irritation
 Causes skin irritation
 May cause an allergic skin reaction
 Toxic to aquatic life with long lasting effects
 May cause ill health if ingested in quantity



MEDIUM HAZARD
 LIQUID

Supplier Vow Europe LTD
Keyword Floor Cleaner

Contents
 Fatty acids, castor-oil, potassium salts: 1 - 3%, Sodium dodecylbenzenesulfonate: 1 - < 3%, Oil of turpentine: 0.1 - 1%, 1,2-benzisothiazol-3(2H)-one: < 0.1%, Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one: < 0.1%

Signal Word Warning
Exp Limit

| Method | Mopping | Area | Inside Well Ventilated | Exposure | 1/2 to 2 hours per shift |
|--------------------------------------|---------|-----------------------------------|------------------------|----------|--------------------------|
| MEDIUM ACUTE RISK - FULL EXPOSURE | | HIGH CHRONIC RISK - FULL EXPOSURE | | | |
| LOW ACUTE RISK - INDIVIDUAL ACTIVITY | | LOW CHRONIC RISK | | | |

Control Measures

| | | | | | |
|----------------------|-------------------------|-------------------|--|----------------|-----------|
| | | | | | |
| IMPERVIOUS OVERALLS | POLYTHENE OR NITRILE | IF CONTACT LIKELY | | WASH AFTER USE | IF SOILED |
| | | | | | |
| CLOSE ALL CONTAINERS | SENSITISER/ACUTE HAZARD | | | | |

Spillage
 Ventilate area
 Wear polythene or nitrile gloves
 Suitable eye protection must be worn
 Wear respiratory protection for large spills in poorly ventilated areas
 Wear protective overalls & chemical proof footwear
 Absorb in sand or inert absorbent material
 Small spills - wipe up with cloth
 Collect into a container, close lid
 Dispose or recycle of spillages in a controlled manner - Refer to Hazardous Waste Regulations if appropriate

First Aid
 In case of allergic reaction/anaphylactic shock call for immediate assistance from trained first aiders
 Inhalation - remove to fresh air; get immediate medical attention after significant exposure or if feeling ill
 Ingestion - do not induce vomiting, wash out mouth with water
 If feeling unwell consult your doctor immediately
 Eye - rinse thoroughly with water - take care not to affect uncontaminated eye. If irritation persists then consult a doctor
 Skin - wash with soap/cleanser and rinse with water; if irritation persists then consult a doctor

Fire
 Isolated small scale fire:
 Powder - foam - water fog
 Do not use water jet
 Large fire: evacuate area, call fire brigade or follow site procedure
 Wear self-contained breathing apparatus and protective clothing

Activity Comments
 Use of diluted material, minimal eye contact envisaged.



This assessment was compiled by EcoOnline Sypol Limited from supplier's safety data sheets where appropriate. Safety in the use of assessments is the responsibility of the subscriber. For advice call the helpdesk on 01296 678464
 Date Printed 23/01/2025

Material/Process 2WORK LEMON FLOOR GEL



Health Hazards
 Causes serious eye irritation
 Causes skin irritation
 May cause an allergic skin reaction
 Toxic to aquatic life with long lasting effects
 May cause ill health if ingested in quantity



MEDIUM HAZARD
 LIQUID

Supplier Vow Europe LTD
Keyword Floor Cleaner

Contents
 Fatty acids, castor-oil, potassium salts: 1 - 3%, Sodium dodecylbenzenesulfonate: 1 - < 3%, Oil of turpentine: 0.1 - 1%, 1,2-benzisothiazol-3(2H)-one: < 0.1%, Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one: < 0.1%

Signal Word Warning
Exp Limit

| Method | Pouring | Area | Inside Well Ventilated | Exposure | 1/2 to 2 hours per shift |
|-----------------------------------|---------|------|-----------------------------------|----------|--------------------------|
| MEDIUM ACUTE RISK - FULL EXPOSURE | | | HIGH CHRONIC RISK - FULL EXPOSURE | | |

Control Measures

| MEDIUM ACUTE RISK - INDIVIDUAL ACTIVITY | | | MEDIUM CHRONIC RISK | | |
|---|-------------------------|----------|---------------------|----------------|-----------|
| | | | | | |
| IMPERVIOUS OVERALLS | POLYTHENE OR NITRILE | BS EN166 | | WASH AFTER USE | IF SOILED |
| | | | | | |
| CLOSE ALL CONTAINERS | SENSITISER/ACUTE HAZARD | | | | |

Spillage
 Ventilate area
 Wear polythene or nitrile gloves
 Suitable eye protection must be worn
 Wear respiratory protection for large spills in poorly ventilated areas
 Wear protective overalls & chemical proof footwear
 Absorb in sand or inert absorbent material
 Small spills - wipe up with cloth
 Collect into a container, close lid
 Dispose or recycle of spillages in a controlled manner - Refer to Hazardous Waste Regulations if appropriate

First Aid
 In case of allergic reaction/anaphylactic shock call for immediate assistance from trained first aiders
 Inhalation - remove to fresh air; get immediate medical attention after significant exposure or if feeling ill
 Ingestion - do not induce vomiting, wash out mouth with water
 If feeling unwell consult your doctor immediately
 Eye - rinse thoroughly with water - take care not to affect uncontaminated eye. If irritation persists then consult a doctor
 Skin - wash with soap/cleanser and rinse with water; if irritation persists then consult a doctor

Fire
 Isolated small scale fire:
 Powder - foam - water fog
 Do not use water jet
 Large fire: evacuate area, call fire brigade or follow site procedure
 Wear self-contained breathing apparatus and protective clothing

Activity Comments



This assessment was compiled by EcoOnline Sypol Limited from supplier's safety data sheets where appropriate. Safety in the use of assessments is the responsibility of the subscriber. For advice call the helpdesk on 01296 678464

Date Printed 23/01/2025