

Material/Process
SANITAIRE.

LOW HAZARD

SOLID



Supplier BIO-PRODUCTIONS LTD
Keyword Absorbent Material

Contents
 Full details of constituents not provided by supplier, This product has been classified as per the supplier's safety data sheet

Signal Word

Exp Limit 10mg/m3(inh),4mg/m3(resp) dust OEL EH


Health Hazards
 May cause ill health if ingested in quantity
 Skin - irritation and dermatitis may result from prolonged contact
 May cause eye irritation

Considerations



Method	Hand applying	Area	Inside Well Ventilated	Exposure	Up to 1/2 hour per shift
LOW ACUTE RISK - FULL EXPOSURE			LOW CHRONIC RISK - FULL EXPOSURE		

Control Measures	LOW ACUTE RISK - INDIVIDUAL ACTIVITY	LOW CHRONIC RISK
------------------	--------------------------------------	------------------

 AVOID SKIN CONTACT	 IF OVEREXPOSURE LIKELY	 IF CONTACT LIKELY		 WASH AFTER EXPOSURE	 IF HEAVILY SOILED
 CLOSE ALL CONTAINERS	 CONTROLLED STORE /WASTE				

Spillage
 Ventilate area
 Wear polythene or nitrile gloves
 Wear eye protection if contact likely
 Wear respiratory protection for large spills in poorly ventilated areas
 Wear protective overalls and footwear for large spillages
 Scoop or scrape up and place in suitable container
 Dispose or recycle of spillages in a controlled manner - Refer to Hazardous Waste Regulations if appropriate

First Aid
 Inhalation - remove to fresh air; get immediate medical attention after significant exposure or if feeling ill
 Ingestion - do not induce vomiting, wash out mouth with water
 If feeling unwell consult your doctor immediately
 Eye - irrigate with water until irritation subsides; if irritation persists then consult a doctor
 Skin - wash with soap/cleanser and rinse with water; if irritation persists then consult a doctor

Fire
 Isolated small scale fire:
 Water fog - carbon dioxide - powder - foam - inert material
 Do not use water jet
 Large fire: evacuate area, call fire brigade or follow site procedure
 Wear self-contained breathing apparatus and protective clothing



Activity Comments

This assessment was compiled by EcoOnline Sypol Limited from supplier's safety data sheets where appropriate. Safety in the use of assessments is the responsibility of the subscriber. For advice call the helpdesk on 01296 678464

Date Printed 20/01/2025

Material/Process
SANITAIRE.

LOW HAZARD

SOLID



Health Hazards
 May cause ill health if ingested in quantity
 Skin - irritation and dermatitis may result from prolonged contact
 May cause eye irritation

Considerations



Supplier BIO-PRODUCTIONS LTD
Keyword Absorbent Material

Contents
 Full details of constituents not provided by supplier, This product has been classified as per the supplier's safety data sheet

Signal Word
Exp Limit 10mg/m3(inh),4mg/m3(resp) dust OEL EH

Method	Hand applying	Area	Outside	Exposure	Up to 1/2 hour per shift
LOW ACUTE RISK - FULL EXPOSURE			LOW CHRONIC RISK - FULL EXPOSURE		

Control Measures	LOW ACUTE RISK - INDIVIDUAL ACTIVITY	LOW CHRONIC RISK
------------------	--------------------------------------	------------------

 AVOID SKIN CONTACT	 IF OVEREXPOSURE LIKELY	 IF CONTACT LIKELY		 WASH AFTER EXPOSURE	 IF HEAVILY SOILED
 CLOSE ALL CONTAINERS	 CONTROLLED STORE /WASTE				

Spillage
 Ventilate area
 Wear polythene or nitrile gloves
 Wear eye protection if contact likely
 Wear respiratory protection for large spills in poorly ventilated areas
 Wear protective overalls and footwear for large spillages
 Scoop or scrape up and place in suitable container
 Dispose or recycle of spillages in a controlled manner - Refer to Hazardous Waste Regulations if appropriate

First Aid
 Inhalation - remove to fresh air; get immediate medical attention after significant exposure or if feeling ill
 Ingestion - do not induce vomiting, wash out mouth with water
 If feeling unwell consult your doctor immediately
 Eye - irrigate with water until irritation subsides; if irritation persists then consult a doctor
 Skin - wash with soap/cleanser and rinse with water; if irritation persists then consult a doctor

Fire
 Isolated small scale fire:
 Water fog - carbon dioxide - powder - foam - inert material
 Do not use water jet
 Large fire: evacuate area, call fire brigade or follow site procedure
 Wear self-contained breathing apparatus and protective clothing



Activity Comments

This assessment was compiled by EcoOnline Sypol Limited from supplier's safety data sheets where appropriate. Safety in the use of assessments is the responsibility of the subscriber. For advice call the helpdesk on 01296 678464

Date Printed 20/01/2025

Material/Process
SANITAIRE.

LOW HAZARD

SOLID



Supplier BIO-PRODUCTIONS LTD
Keyword Absorbent Material

Contents
 Full details of constituents not provided by supplier, This product has been classified as per the supplier's safety data sheet

Signal Word

Exp Limit 10mg/m3(inh),4mg/m3(resp) dust OEL EH

Health Hazards
 May cause ill health if ingested in quantity
 Skin - irritation and dermatitis may result from prolonged contact
 May cause eye irritation

Considerations

Method	Hand applying	Area	Inside Poorly Ventilated	Exposure	Up to 1/2 hour per shift
LOW ACUTE RISK - FULL EXPOSURE			LOW CHRONIC RISK - FULL EXPOSURE		

Control Measures	LOW ACUTE RISK - INDIVIDUAL ACTIVITY	LOW CHRONIC RISK
------------------	--------------------------------------	------------------

 AVOID SKIN CONTACT	 IF OVEREXPOSURE LIKELY	 IF CONTACT LIKELY	 WASH AFTER EXPOSURE	 IF HEAVILY SOILED
 CLOSE ALL CONTAINERS	 CONTROLLED STORE /WASTE			

Spillage
 Ventilate area
 Wear polythene or nitrile gloves
 Wear eye protection if contact likely
 Wear respiratory protection for large spills in poorly ventilated areas
 Wear protective overalls and footwear for large spillages
 Scoop or scrape up and place in suitable container
 Dispose or recycle of spillages in a controlled manner - Refer to Hazardous Waste Regulations if appropriate

First Aid
 Inhalation - remove to fresh air; get immediate medical attention after significant exposure or if feeling ill
 Ingestion - do not induce vomiting, wash out mouth with water
 If feeling unwell consult your doctor immediately
 Eye - irrigate with water until irritation subsides; if irritation persists then consult a doctor
 Skin - wash with soap/cleanser and rinse with water; if irritation persists then consult a doctor

Fire
 Isolated small scale fire:
 Water fog - carbon dioxide - powder - foam - inert material
 Do not use water jet
 Large fire: evacuate area, call fire brigade or follow site procedure
 Wear self-contained breathing apparatus and protective clothing