

Material/Process
WINDOW & GLASS CLEANER



Health Hazards
 Causes serious eye irritation
 May cause ill health if ingested in quantity
 Skin - irritation and dermatitis may result from prolonged contact



MEDIUM HAZARD
 LIQUID

Supplier GREYLAND LTD
Keyword Cleaner

Contents
 Propan-2-ol: 1 - 10%, Ammonia, aqueous solution: < 1%
Signal Word Warning
Exp Limit Ammonia, aqueous solution 18mg/m3 8hTWA 25mg/m3 15mSTEL WEL, Propan-2-ol 999mg/m3 8hTWA 400ppm 8hTWA 1250mg/m3 15mSTEL 500ppm 15mSTEL

Method	Spraying (Trigger Bottle)	Area	Inside Well Ventilated	Exposure	2 to 4 hours per shift
	MEDIUM ACUTE RISK - FULL EXPOSURE		MEDIUM CHRONIC RISK - FULL EXPOSURE		

Control Measures
 MEDIUM ACUTE RISK - INDIVIDUAL ACTIVITY MEDIUM CHRONIC RISK

AVOID SKIN CONTACT	POLYTHENE OR NITRILE	BS EN166	AND	LEV OR	FILTER TYPE P1
WASH AFTER EXPOSURE	IF HEAVILY SOILED	CLOSE ALL CONTAINERS	ACUTE HAZARD		

Spillage
 Ventilate area
 Wear polythene or nitrile gloves
 Suitable eye protection must be worn
 Wear respiratory protection for large spills in poorly ventilated areas
 Wear protective overalls and footwear for large spillages
 Absorb in sand or inert absorbent material
 Small spills - wipe up with cloth
 Collect into a container, close lid
 Dispose or recycle of spillages in a controlled manner - Refer to Hazardous Waste Regulations if appropriate

First Aid
 Inhalation - remove to fresh air; get immediate medical attention after significant exposure or if feeling ill
 Ingestion - do not induce vomiting, wash out mouth with water
 If feeling unwell consult your doctor immediately
 Eye - rinse thoroughly with water for 20 minutes - take care not to affect uncontaminated eye. If irritation persists then consult a doctor
 Skin - wash with soap/cleanser and rinse with water; if irritation persists then consult a doctor

Fire
 Isolated small scale fire:
 Carbon dioxide - powder - foam - inert material
 Large fire: evacuate area, call fire brigade or follow site procedure
 Wear self-contained breathing apparatus and protective clothing

Activity Comments
 Intermittent use of low pressure trigger spray bottle.

Date Printed 16/06/2023



Material/Process
WINDOW & GLASS CLEANER



Health Hazards
 Causes serious eye irritation
 May cause ill health if ingested in quantity
 Skin - irritation and dermatitis may result from prolonged contact



MEDIUM HAZARD
 LIQUID

Supplier GREYLAND LTD
Keyword Cleaner

Contents
 Propan-2-ol: 1 - 10%, Ammonia, aqueous solution: < 1%

Signal Word Warning
Exp Limit Ammonia, aqueous solution 18mg/m3 8hTWA 25mg/m3 15mSTEL WEL, Propan-2-ol 999mg/m3 8hTWA 400ppm 8hTWA 1250mg/m3 15mSTEL 500ppm 15mSTEL

Method	Spraying (Trigger Bottle)	Area	Outside	Exposure	2 to 4 hours per shift
	MEDIUM ACUTE RISK - FULL EXPOSURE		MEDIUM CHRONIC RISK - FULL EXPOSURE		

Control Measures

MEDIUM ACUTE RISK - INDIVIDUAL ACTIVITY	MEDIUM CHRONIC RISK
---	---------------------

 AVOID SKIN CONTACT	 POLYTHENE OR NITRILE	 BS EN166	 AND	 LEV OR	 FILTER TYPE P1
 WASH AFTER EXPOSURE	 IF HEAVILY SOILED	 CLOSE ALL CONTAINERS	 ACUTE HAZARD		

Spillage
 Ventilate area
 Wear polythene or nitrile gloves
 Suitable eye protection must be worn
 Wear respiratory protection for large spills in poorly ventilated areas
 Wear protective overalls and footwear for large spillages
 Absorb in sand or inert absorbent material
 Small spills - wipe up with cloth
 Collect into a container, close lid
 Dispose or recycle of spillages in a controlled manner - Refer to Hazardous Waste Regulations if appropriate

First Aid
 Inhalation - remove to fresh air; get immediate medical attention after significant exposure or if feeling ill
 Ingestion - do not induce vomiting, wash out mouth with water
 If feeling unwell consult your doctor immediately
 Eye - rinse thoroughly with water for 20 minutes - take care not to affect uncontaminated eye. If irritation persists then consult a doctor
 Skin - wash with soap/cleanser and rinse with water; if irritation persists then consult a doctor

Fire
 Isolated small scale fire:
 Carbon dioxide - powder - foam - inert material
 Large fire: evacuate area, call fire brigade or follow site procedure
 Wear self-contained breathing apparatus and protective clothing

Activity Comments
 Intermittent use of low pressure trigger spray bottle.

Date Printed 16/06/2023

