

Material/Process
V-SCREEN - CITRUS MANGO

MEDIUM HAZARD

SOLID

Supplier VECTAIR SYSTEMS LIMITED
Keyword Air Freshener

Contents
 Poly(ethylene-co-vinyl acetate): 60 - 100%, Citral: 1 - 2.5%, Di (propylene glycol) methyl ether acetate, mixture of isomers: 1 - 2.5%, Distillates (petroleum), hydrotreated light: 1 - 2.5%, Decanal: 1 - 2.5%, Pin-2(3)-ene: 1 - 2.5%, beta-pinene: 1 - 2.5%, Methyl salicylate: 1 - 2.5%, Terpenes and Terpenoids,

Signal Word Warning
Exp Limit Distillates (petroleum), hydrotreated light 1000mg/m3 8hTWA OEL, Terpenes and Terpenoids, sweet orange-oil 100ppm 8hTWA OEL, 1,7,7-trimethylbicyclo(2.2.1)heptan-2



Health Hazards
 Minimal risk of exposure when intact
 If dust produced see below
 Causes serious eye irritation
 Causes skin irritation
 May cause an allergic skin reaction
 Toxic to aquatic life with long lasting effects
 May cause ill health if ingested in quantity

Considerations



Method	Handling	Area	Inside Well Ventilated	Exposure	1/2 to 2 hours per shift
LOW ACUTE RISK - FULL EXPOSURE			LOW CHRONIC RISK - FULL EXPOSURE		

LOW ACUTE RISK - INDIVIDUAL ACTIVITY			LOW CHRONIC RISK		
--------------------------------------	--	--	------------------	--	--

KEEP SKIN COVERED	NITRILE	IF CONTACT LIKELY		WASH AFTER USE	IF SOILED

Spillage
 Avoid excessive exposure to hands/skin - use suitable gloves if necessary
 Contain and collect material
 Dispose or recycle of spillages in a controlled manner - Refer to Hazardous Waste Regulations if appropriate

First Aid
 In case of allergic reaction/anaphylactic shock call for immediate assistance from trained first aiders
 Inhalation - remove to fresh air; get immediate medical attention after significant exposure or if feeling ill
 Ingestion - do not induce vomiting, wash out mouth with water
 If feeling unwell consult your doctor immediately
 Eye - rinse thoroughly with water - take care not to affect uncontaminated eye. If irritation persists then consult a doctor
 Skin - wash with soap/cleanser and rinse with water; if irritation persists then consult a doctor

Fire
 Isolated small scale fire:
 Water fog - carbon dioxide - powder - foam
 Do not use water jet
 Large fire: evacuate area, call fire brigade or follow site procedure
 Wear self-contained breathing apparatus and protective clothing



Activity Comments
 Handling materials unlikely to result in occupational exposure due to physical form or to release contents from sealed containers; minimal contact envisaged. In the event of a spill please refer to spillage section.

This assessment was compiled by EcoOnline Sypol Limited from supplier's safety data sheets where appropriate. Safety in the use of assessments is the responsibility of the subscriber. For advice call the helpdesk on 01296 678464

Date Printed 10/02/2025

Material/Process
V-SCREEN - CITRUS MANGO



Health Hazards

Minimal risk of exposure when intact
 If dust produced see below
 Causes serious eye irritation
 Causes skin irritation
 May cause an allergic skin reaction
 Toxic to aquatic life with long lasting effects
 May cause ill health if ingested in quantity

Considerations



MEDIUM HAZARD

SOLID

Supplier VECTAIR SYSTEMS LIMITED
Keyword Air Freshener

Contents
 Poly(ethylene-co-vinyl acetate): 60 - 100%, Citral: 1 - 2.5%, Di (propylene glycol) methyl ether acetate, mixture of isomers: 1 - 2.5%, Distillates (petroleum), hydrotreated light: 1 - 2.5%, Decanal: 1 - 2.5%, Pin-2(3)-ene: 1 - 2.5%, beta-pinene: 1 - 2.5%, Methyl salicylate: 1 - 2.5%, Terpenes and Terpenoids,

Signal Word Warning
Exp Limit Distillates (petroleum), hydrotreated light 1000mg/m3 8hTWA OEL, Terpenes and Terpenoids, sweet orange-oil 100ppm 8hTWA OEL, 1,7,7-trimethylbicyclo(2.2.1)heptan-2

Method	Handling	Area	Inside Well Ventilated	Exposure	Less than 5 minutes per shift
LOW ACUTE RISK - FULL EXPOSURE			LOW CHRONIC RISK - FULL EXPOSURE		
LOW ACUTE RISK - INDIVIDUAL ACTIVITY			LOW CHRONIC RISK		

Control Measures

KEEP SKIN COVERED	NITRILE	IF CONTACT LIKELY		WASH AFTER USE	IF SOILED

Spillage
 Avoid excessive exposure to hands/skin - use suitable gloves if necessary
 Contain and collect material
 Dispose or recycle of spillages in a controlled manner - Refer to Hazardous Waste Regulations if appropriate

First Aid
 In case of allergic reaction/anaphylactic shock call for immediate assistance from trained first aiders
 Inhalation - remove to fresh air; get immediate medical attention after significant exposure or if feeling ill
 Ingestion - do not induce vomiting, wash out mouth with water
 If feeling unwell consult your doctor immediately
 Eye - rinse thoroughly with water - take care not to affect uncontaminated eye. If irritation persists then consult a doctor
 Skin - wash with soap/cleanser and rinse with water; if irritation persists then consult a doctor

Fire
 Isolated small scale fire:
 Water fog - carbon dioxide - powder - foam
 Do not use water jet
 Large fire: evacuate area, call fire brigade or follow site procedure
 Wear self-contained breathing apparatus and protective clothing



Activity Comments
 Handling materials unlikely to result in occupational exposure due to physical form or to release contents from sealed containers; minimal contact envisaged. In the event of a spill please refer to spillage section.

This assessment was compiled by EcoOnline Sypol Limited from supplier's safety data sheets where appropriate. Safety in the use of assessments is the responsibility of the subscriber. For advice call the helpdesk on 01296 678464
 Date Printed 10/02/2025

Material/Process
V-SCREEN - CITRUS MANGO



Health Hazards
 Minimal risk of exposure when intact
 If dust produced see below
 Causes serious eye irritation
 Causes skin irritation
 May cause an allergic skin reaction
 Toxic to aquatic life with long lasting effects
 May cause ill health if ingested in quantity

Considerations



MEDIUM HAZARD
 SOLID

Supplier VECTAIR SYSTEMS LIMITED
Keyword Air Freshener

Contents
 Poly(ethylene-co-vinyl acetate): 60 - 100%, Citral: 1 - 2.5%, Di (propylene glycol) methyl ether acetate, mixture of isomers: 1 - 2.5%, Distillates (petroleum), hydrotreated light: 1 - 2.5%, Decanal: 1 - 2.5%, Pin-2(3)-ene: 1 - 2.5%, beta-pinene: 1 - 2.5%, Methyl salicylate: 1 - 2.5%, Terpenes and Terpenoids,

Signal Word Warning
Exp Limit Distillates (petroleum), hydrotreated light 1000mg/m3 8hTWA OEL, Terpenes and Terpenoids, sweet orange-oil 100ppm 8hTWA OEL, 1,7,7-trimethylbicyclo(2.2.1)heptan-2

Method	Handling	Area	Inside Well Ventilated	Exposure	Up to 1/2 hour per shift
LOW ACUTE RISK - FULL EXPOSURE			LOW CHRONIC RISK - FULL EXPOSURE		
LOW ACUTE RISK - INDIVIDUAL ACTIVITY			LOW CHRONIC RISK		

Control Measures

KEEP SKIN COVERED	NITRILE	IF CONTACT LIKELY		WASH AFTER USE	IF SOILED

Spillage
 Avoid excessive exposure to hands/skin - use suitable gloves if necessary
 Contain and collect material
 Dispose or recycle of spillages in a controlled manner - Refer to Hazardous Waste Regulations if appropriate

First Aid
 In case of allergic reaction/anaphylactic shock call for immediate assistance from trained first aiders
 Inhalation - remove to fresh air; get immediate medical attention after significant exposure or if feeling ill
 Ingestion - do not induce vomiting, wash out mouth with water
 If feeling unwell consult your doctor immediately
 Eye - rinse thoroughly with water - take care not to affect uncontaminated eye. If irritation persists then consult a doctor
 Skin - wash with soap/cleanser and rinse with water; if irritation persists then consult a doctor

Fire
 Isolated small scale fire:
 Water fog - carbon dioxide - powder - foam
 Do not use water jet
 Large fire: evacuate area, call fire brigade or follow site procedure
 Wear self-contained breathing apparatus and protective clothing



Activity Comments
 Handling materials unlikely to result in occupational exposure due to physical form or to release contents from sealed containers; minimal contact envisaged. In the event of a spill please refer to spillage section.

This assessment was compiled by EcoOnline Sypol Limited from supplier's safety data sheets where appropriate. Safety in the use of assessments is the responsibility of the subscriber. For advice call the helpdesk on 01296 678464

Date Printed 10/02/2025

Material/Process
V-SCREEN - CITRUS MANGO



Health Hazards

Minimal risk of exposure when intact
 If dust produced see below
 Causes serious eye irritation
 Causes skin irritation
 May cause an allergic skin reaction
 Toxic to aquatic life with long lasting effects
 May cause ill health if ingested in quantity

Considerations



MEDIUM HAZARD

SOLID

Supplier VECTAIR SYSTEMS LIMITED
Keyword Air Freshener

Contents
 Poly(ethylene-co-vinyl acetate): 60 - 100%, Citral: 1 - 2.5%, Di (propylene glycol) methyl ether acetate, mixture of isomers: 1 - 2.5%, Distillates (petroleum), hydrotreated light: 1 - 2.5%, Decanal: 1 - 2.5%, Pin-2(3)-ene: 1 - 2.5%, beta-pinene: 1 - 2.5%, Methyl salicylate: 1 - 2.5%, Terpenes and Terpenoids,

Signal Word Warning
Exp Limit Distillates (petroleum), hydrotreated light 1000mg/m3 8hTWA OEL, Terpenes and Terpenoids, sweet orange-oil 100ppm 8hTWA OEL, 1,7,7-trimethylbicyclo(2.2.1)heptan-2

Method	Disposal	Area	Outside	Exposure	Up to 1/2 hour per shift
LOW ACUTE RISK - FULL EXPOSURE			LOW CHRONIC RISK - FULL EXPOSURE		
LOW ACUTE RISK - INDIVIDUAL ACTIVITY			LOW CHRONIC RISK		

Control Measures



Spillage

Avoid excessive exposure to hands/skin - use suitable gloves if necessary
 Contain and collect material
 Dispose or recycle of spillages in a controlled manner - Refer to Hazardous Waste Regulations if appropriate

First Aid

In case of allergic reaction/anaphylactic shock call for immediate assistance from trained first aiders
 Inhalation - remove to fresh air; get immediate medical attention after significant exposure or if feeling ill
 Ingestion - do not induce vomiting, wash out mouth with water
 If feeling unwell consult your doctor immediately
 Eye - rinse thoroughly with water - take care not to affect uncontaminated eye. If irritation persists then consult a doctor
 Skin - wash with soap/cleanser and rinse with water; if irritation persists then consult a doctor

Fire

Isolated small scale fire:
 Water fog - carbon dioxide - powder - foam
 Do not use water jet
 Large fire: evacuate area, call fire brigade or follow site procedure
 Wear self-contained breathing apparatus and protective clothing

Activity Comments



This assessment was compiled by EcoOnline Sypol Limited from supplier's safety data sheets where appropriate. Safety in the use of assessments is the responsibility of the subscriber. For advice call the helpdesk on 01296 678464

Date Printed 10/02/2025