

FACILITY UK BUS

MAIN

STAGECOACH UK

SUB

124381

MATERIAL/PROCESS

MR SHEEN MULTI-SURFACE AEROSOL ORIGINAL

MEDIUM HAZARD

AEROSOL

SUPPLIER RB UK COMMERCIAL LTD

KEYWORD Polish (Aerosol)

CONTENTS

Hydrocarbons, C8-C9, isoalkanes 10 - 15%, n-Butane 5 - 10%,
Isobutane 2.5 - 5%, Propane < 2.5%,

SIGNAL WORD DANGER

EXP LIMIT Propane 1800mg/m3 8hTWA 7200mg/m3
15mSTEL OEL, n-Butane 1450mg/m3 8hTWA



HEALTH HAZARDS

Extremely flammable aerosol
Pressurised container: May burst if heated.
Causes skin irritation
Harmful to aquatic life with long lasting effects
May cause ill health if ingested in quantity
May cause eye irritation

CONSIDERATIONS



METHOD Spraying (Aerosol)

AREA Inside Well Ventilated

EXPOSURE TIME 1/2 to 2 hours per shift

SPILLAGE

Not applicable when intact
In case of leakage or loss of containment:
Ventilate area and exclude all sources of ignition
Wear protective clothing if whole container is spilt
Allow to dissipate
Wear polythene or nitrile gloves
Ensure area is safe before re-entry

LOW ACUTE RISK - FULL EXPOSURE

LOW CHRONIC RISK - FULL EXPOSURE

CONTROL MEASURES

LOW ACUTE RISK - INDIVIDUAL ACTIVITY

LOW CHRONIC RISK - INDIVIDUAL ACTIVITY



KEEP SKIN COVERED



POLYTHENE OR NITRILE



IF CONTACT LIKELY



WASH AFTER EXPOSURE



IF SOILED



PRESSURISED

FIRST AID

Inhalation - remove to fresh air; get immediate medical attention after significant exposure or if feeling ill
Ingestion - do not induce vomiting, wash out mouth with water
If feeling unwell consult your doctor immediately
Eye - irrigate with water until irritation subsides; if irritation persists then consult a doctor
Skin - wash with soap/cleanser and rinse with water; if irritation persists then consult a doctor

FIRE

Keep aerosol cans cool, do not burn for disposal
Isolated small scale fire:
Vapour may spread - distant ignition is possible
Powder - foam - carbon dioxide (CO2)
Do not use water
Large fire: evacuate area, call fire brigade or follow site procedure
Wear self-contained breathing apparatus and protective clothing
Keep containers cool with water spray
Risk of explosion if involved in a fire

ACTIVITY COMMENTS

Intermittent use of aerosol spray.

This assessment was compiled by Alcumus Sypol Limited from supplier's safety data sheets where appropriate. Safety in the use of assessments is the responsibility of the subscriber. For advice call the helpdesk on 01296 678464

Printed 17/12/2020

FACILITY UK BUS

MAIN

STAGECOACH UK

SUB

124381

MATERIAL/PROCESS

MR SHEEN MULTI-SURFACE AEROSOL ORIGINAL



MEDIUM HAZARD

AEROSOL

SUPPLIER RB UK COMMERCIAL LTD

KEYWORD Polish (Aerosol)

CONTENTS

Hydrocarbons, C8-C9, isoalkanes 10 - 15%, n-Butane 5 - 10%,
Isobutane 2.5 - 5%, Propane < 2.5%,

SIGNAL WORD DANGER

EXP LIMIT Propane 1800mg/m3 8hTWA 7200mg/m3
15mSTEL OEL, n-Butane 1450mg/m3 8hTWA

HEALTH HAZARDS

Extremely flammable aerosol
Pressurised container: May burst if heated.
Causes skin irritation
Harmful to aquatic life with long lasting effects
May cause ill health if ingested in quantity
May cause eye irritation

CONSIDERATIONS



METHOD Spraying (Aerosol)

AREA Outside

EXPOSURE TIME 1/2 to 2 hours per shift

SPILLAGE

Not applicable when intact
In case of leakage or loss of containment:
Ventilate area and exclude all sources of ignition
Wear protective clothing if whole container is spilt
Allow to dissipate
Wear polythene or nitrile gloves
Ensure area is safe before re-entry

LOW ACUTE RISK - FULL EXPOSURE

LOW CHRONIC RISK - FULL EXPOSURE

CONTROL MEASURES

LOW ACUTE RISK - INDIVIDUAL ACTIVITY

LOW CHRONIC RISK - INDIVIDUAL ACTIVITY



KEEP SKIN COVERED



POLYTHENE OR NITRILE



IF CONTACT LIKELY



WASH AFTER EXPOSURE



IF SOILED



PRESSURISED

FIRST AID

Inhalation - remove to fresh air; get immediate medical attention after significant exposure or if feeling ill
Ingestion - do not induce vomiting, wash out mouth with water
If feeling unwell consult your doctor immediately
Eye - irrigate with water until irritation subsides; if irritation persists then consult a doctor
Skin - wash with soap/cleanser and rinse with water; if irritation persists then consult a doctor

FIRE

Keep aerosol cans cool, do not burn for disposal
Isolated small scale fire:
Vapour may spread - distant ignition is possible
Powder - foam - carbon dioxide (CO2)
Do not use water
Large fire: evacuate area, call fire brigade or follow site procedure
Wear self-contained breathing apparatus and protective clothing
Keep containers cool with water spray
Risk of explosion if involved in a fire

ACTIVITY COMMENTS

Intermittent use of aerosol spray.

This assessment was compiled by Alcumus Sypol Limited from supplier's safety data sheets where appropriate. Safety in the use of assessments is the responsibility of the subscriber. For advice call the helpdesk on 01296 678464

Printed 17/12/2020